

**MANU BIRDING LIST**

<b>ACCIPITRIDEAE (Hawks, eagle, kites, harrier)</b>	
BICOLORED HAWK	<i>Accipiter bicolor</i>
BLACK AND CHESNUT EAGLE	<i>spizaetus isidori</i>
BLACK-CHESTED BUZZARD -EAGLE	<i>Geranoaetus melanoleucos*</i>
BLACK HAWK- EAGLE	<i>Spizaetus tyrannus*</i>
BLACK AND WHITE HAWK- EAGLE	<i>Spizastus melanoleucos</i>
BLACK- COLLARED EAGLE	<i>Busarellus nigricollis*</i>
BROAD-WING HAWK	<i>Buteo platypterus*</i>
CRANE HAWK	<i>Geranospiza caerulescens*</i>
CINEREOUS HARRIER	<i>Circus cinereus</i>
CRESTED EAGLE	<i>Morphnus ornatus</i>
DOUBLE-TOOTHED KITE	<i>Harpagus bidentatus</i>
GRAY-BELLIED HAWK	<i>Accipiter poliogaster</i>
GRAY HAWK	<i>Leptodon cayenensis</i>
GRAY HEADED KITE	<i>Leptodon cayenensis</i>
GREAT BLACK - HAWK	<i>Buteogallus urubitinga*</i>
HARPY EAGLE	<i>Harpia harpyja</i>
HOOK-BILLED KITE	<i>Chondrohierax uncinatus*</i>
MISSISSIPPI KITE	<i>Ictinia mississippiensis</i>
ORNATE HAWK-EAGLE	<i>Spizaetus ornatus</i>
PEARL KITE	<i>Gamponyx swainsonii</i>
PLUMBEOUS KITE	<i>Ictinia plumbea</i>
ROADSIDE HAWK	<i>Buteo magnirostris*</i>
SEMICOLLARED HAWK	<i>Accipiter collaris</i>
SHARP-SHINNED HAWK	<i>Accipiter striatus</i>
SHORT-TAILED HAWK	<i>Buteo brachyurus</i>
SLATE-COLORED HAWK	<i>Lecopternis schistaceus</i>
SLENDER BILLED KITE	<i>Rostrhamus hamatus</i>
SNAIL KITE	<i>Rostrhamus sociabilis*</i>
SOLITARY EAGLE	<i>Harpyhaliaetus solitarius*</i>
SWAINSO'N HAWK	<i>Butoe swainsini</i>
SWALLOW-TAILED KITE	<i>Elanoides forficatus</i>
TINY HAWK	<i>Accipiter superciliosus</i>
VARIABLE HAWK	<i>Buteo polyosoma</i>
WHITE HAWK	<i>Leucopternis occidentalis</i>
WHITE BROWED HAWK	<i>Leucopternis kuhli</i>
WHITE -RUMPED HAWK	<i>Buteo leucorrhous</i>
WHITE TAILED KITE	<i>Elanus leucurus</i>

WHITE THROATED HAWK	<i>Buteo albigula</i>
ZONE-TAILED HAWK	<i>Buteo albonotatus</i>
<b>ALCENIDIDEAE (kingfishers)</b>	
AMAZON KINGFISHER	<i>Cloroceryle amazona</i>
AMERICAN PYGMY KINGFISHER	<i>cloroceryle aenea*</i>
GREEN KINGFISHER	<i>Cloroceryle americana*</i>
GREEN AND RUFOUS KINGFISHER	<i>Cloroceryle inda</i>
RINGED KINGFISHER	<i>Megaceryle torquata*</i>
<b>ANATIDEAE (goose,teals,ducks,pinteals,pochard)</b>	
ANDEAN GOOSE	<i>Chloephaga melanoptera</i>
BLACK-BELLIED WHISTLING-DUCK	<i>Chloephaga melanoptera*</i>
BLUE -WINGED TEAL	<i>Anas discors</i>
CINNAMON TEAL	<i>Anas cyanoptera*</i>
CRESTED DUCK	<i>Lophonetta specularioides</i>
MASKED DUCK	<i>Nomonyx dominicus</i>
MUSCOVY DUCK	<i>Cairina moschata</i>
ORINOCO GOOSE	<i>Noechen jubata</i>
PUNA TEAL	<i>Anas puna</i>
RED SHOVELER	<i>Anas platalea</i>
SOUTHREN POCHARD	<i>Netta erythrophthalma*</i>
YELLOW BILLED TEAL	
YELLOW BILLED PINTEAL	<i>Anas georgica*</i>
<b>ANHIMIDEAE (scrimer)</b>	
HORNED SCRIMER	<i>Anima cornuta</i>
<b>ANHINGIDEAE (anhiga)</b>	
ANHINGA	<i>Anhinga anhinga</i>
<b>APODIDEAE (swifts,)</b>	
AMAZONIAN SWIFT	<i>Chaetura viridipennis</i>
ANDEAN SWIFT	<i>Aeronautes andecolus*</i>
CHESNUT-COLLARED SWIFT	<i>Streptoprocne rutila*</i>
CHIMNEY SWIFT	<i>Chaetura pelagica</i>
FORK-TAILED PALM-SWIFT	<i>Tachornis squamata*</i>
GRAY-RUMPED SWIFT	<i>Chaetura cinereiventris*</i>
LESSER SWALLOW-TAILED SWIFT	<i>Panyptila cayennensis*</i>
PALE-RUMPED SWIFT	<i>Chaetura egregia</i>
SHORT-TAILED SWIFT	<i>Chaetura brachyura*</i>
WHITE-COLLARED SWIFT	<i>Streptoprocne zonaris*</i>
<b>ARAMIDEAE (limpkin)</b>	
LIMPKIN	<i>Aramus guarauna*</i>
<b>ARDEIDEAE (herons, egrets, bitterns )</b>	

AGAMY HERON	<i>Agamia agami</i>
BLACK- CROWNED NIGHT-HERON	<i>Nycticorax Nycticorax*</i>
BOAT-BILLED HERON	<i>Cochlearius cochlearius*</i>
CAPPED HERON	<i>Pilherodius pileatus</i>
CATTLE EGRET	<i>Bubulcus ibis*</i>
COCOI HERON	<i>Ardea cocoi</i>
FASCIATED TIGER-HERON	<i>Tigrisoma fasciatun*</i>
GREAT EGRET	<i>Ardea alba</i>
LEAST-BITTERN	<i>Ixobrychus exilis*</i>
LITTLE-BLUE HERON	<i>Egetta caerulea</i>
ROFESCENT TIGER-HERON	<i>Tigrisoma lineatun*</i>
SNOWY EGRET	<i>Egretta thula*</i>
STRIATED HERON	<i>Butorides striata*</i>
ZIGZAG HERON	<i>Zebrilus undulatus</i>
<b>BUCCONIDEAE (nunbirds, puffbirds, monklets,wing)</b>	
BLACK FRONTED NUNBIRD	<i>Monasa nigrifrons*</i>
BLACK STREAKED PUFFBIRD	<i>Malacoptila fulvogularis*</i>
CHESNUT CAPPED PUFFBIRD	<i>Bucco macrodactylus</i>
COLLARED PUFFBIRD	<i>Bucco capensis*</i>
LANCEOLATED MONKLET	<i>Micromonacha lanceolata</i>
PIED PUFFBIRD	<i>Noetharchus tectus*</i>
ROFOUS CAPPED NUNLET	<i>Nonnula ruficapilla*</i>
SEMICOLLARED PUFFBIRD	<i>Malacoptila semicincta</i>
SPOTTED PUFFBIRD	<i>Bucco tamatia*</i>
STRIOLATED PUFFBIRD	<i>Nystalus striolatus*</i>
SWALLOW - WING	<i>Chelidoptera tenebrosa*</i>
WHITE FRONTED NUNBIRD	<i>Monasa morphoeus*</i>
WHITE NECKED PUFFBIRD	<i>Notharchus hyperrhynchus*</i>
YELLOW BILLED NUNBIRD	<i>Monasa flavirostris</i>
<b>CAPITONIDEAE (barbets)</b>	
GILDED BARBET	<i>Capito auratus*</i>
LEMON-THROATED BARBET	<i>Eubucco richardsoni*</i>
SCARLET HOODED BARBET	<i>Eubucco tucinkae</i>
VERSCOLORED BARBET	<i>Eubucco versicolor*</i>
<b>CAPRIMULGIDEAE (nightjars,pauraque,nighthawks)</b>	
BAND-WINGED NIGHTJAR	<i>Caprimulgus longirostris*</i>
BLACKISH NIGHTJAR	<i>Caprimulgus nigrescens</i>
COMMON PAURAQUE	<i>Nyctidromus albicollis*</i>
COMMON NIGH-HAWK	<i>Chordeilesminor*</i>
LADDER TAILED NIGHTJAR	<i>Hydropsalis climacocerca*</i>

LYRE-TAILED NIGHTJAR	<i>Uropsalis lyra*</i>
OCELLATED POORWILL	<i>Nyctiphrynus ocellatus*</i>
RUFIOUS NIGHTJAR	<i>Caprimulgus rufus</i>
RUFIOUS-BELLIED NIGHTJAR	<i>Lurocalis rufiventris</i>
SAND-COLORED NIGHTHAWK	<i>Chordeiles rupestris*</i>
SCISSOR -TAILED NIGHTJAR	<i>Ydropsalis torquata*</i>
SHORT - TAILED NIGHTHAWK	<i>Lurocalis semitorquatus*</i>
SILKY - TAILED NIGHTJAR	<i>Caprimulgus sericocaudatus*</i>
SWALLOW-TAILED NIGHTJAR	<i>Uropsalis segmentata*</i>
<b>CARDINALIDEAE (grosbeaks,saltators)</b>	
BLACK -BACK GROSBEAK	<i>Pheucticus aureoventris*</i>
BLUE-BACK GROSBEAK	<i>Cyanocompsa cyanoides*</i>
BUFF- THROATED SALTATOR	<i>Saltator maximus*</i>
GOLDEN-BELLIED GROSBEAK	<i>Pheucticus chrysogaster*</i>
GOLDEN -BILLED SALTATOR	<i>Saltator aurantiirostris*</i>
GRAYISH SALTATOR	<i>Saltator coerulescens*</i>
ROUSE-BREASTED GROSBEAK	<i>Pheucticus ludovicianus</i>
SLATE -COLARED GROSBEAK	<i>Saltator grossus*</i>
YELLOW-SHOULDERED GROSBEAK	<i>Pakerthraustes humeralis</i>
<b>CATHARTIDEAE (condor,vultures)</b>	
ANDEAN CONDOR	<i>Vultur gryphus</i>
BLACK VULTURE	<i>Coragyps atratus</i>
GREATER YELLOW HEADED VULTURE	<i>Cathartes melambrotus</i>
KING VULTURE	<i>Sarcoramphus papa</i>
TURKEY VULTURE	<i>Cathartes aura</i>
<b>CHARADRIIDEAE lapwings,plovers</b>	
ANDEAN LAPWING	<i>Vanellus resplendens</i>
AMERICAN GOLDEN PLOVER	<i>Pluvialis dominica</i>
COLLARED PLOVER	<i>Charadrius alexandrinus*</i>
PIED LAPWIND	<i>Hoploxypterus cayanus</i>
<b>CICONIIDEAE (storks,jabiru)</b>	
JABIRU	<i>Jabiru mycteria</i>
WOOK STORK	<i>Micteria americana</i>
<b>CINCLIDEAE (dipper)</b>	
WHITE CAPPED DIPPER	<i>Cinclus leucocephalus*</i>
<b>COEREBIDEAE (bananaquit)</b>	
BANANAQUIT	<i>Coereba flaviola</i>
<b>COLUMBIDEAE (pigeons, doves, quail-doves,ground-doves )</b>	
BAND - TAILED PIGEON	<i>Patagioenas faciata*</i>
BARE - FACE GROUND DOVE	<i>Metriopelia ceciliae*</i>

BLACK WINGED GROUND - DOVE	<i>Metropelia melanoptera*</i>
BLUE GROUND - DOVE	<i>Claravis pretriosa</i>
EARED DOVE	<i>Zenaida auriculata*</i>
GRAY - FRONTED DOVE	<i>Leptotila rufaxila*</i>
PALE - VENTED PIGEON	<i>Patagioenas callennensis*</i>
PICUI - GROUND DOVE	<i>Columbina picui*</i>
PLUBEOUS PIGEON	<i>patagioenas plumbea*</i>
RADDY GROUND - DOVE	<i>Patagioneas subvinacea*</i>
RADDY QUAIL - DOVE	<i>Geotrygon montana*</i>
SAPPHIRE QUAIL - DOVE	<i>Geotrygon saphirina*</i>
SCALET PIGEON	<i>Patagioenas speciosa</i>
SPOT - WINGED PIGOEN	<i>Patagioenas maculosa*</i>
VIOLACEOUS QUAIL - DOVE	<i>Goetrygon violacea*</i>
WHITE THROATED QUAIL - DOVE	<i>Geotrygon frenata*</i>
WHITE - TIPPED DOVE	<i>Leptotila verreauxi*</i>
<b>CONOPOPHAGIDEAE (gnateaters)</b>	
AS-THROATED GNATEATER	<i>Conopophaga peruviana</i>
SLATE GNATEATER	<i>Conopophaga ardesiaca</i>
<b>CORVIDEAE (jays)</b>	
GREEN JAY	<i>Cyanocorax yncas*</i>
PURPLISH JAY	<i>Cyanocorax cyanomelas</i>
VIOLACEOUS JAY	<i>Cyanocorax violaceus*</i>
WHITE-COLLARED JAY	<i>Cyanolicea viridiciana*</i>
<b>COTNIGIDEAE (fruiteaters, umbrellabird, cooof the rock, becars cotingas,tityras,mourners purpletuft)</b>	
AMAZONIAN UMBRELLABIRD	<i>Cephalopterus ornatus</i>
BARE-NECKED FRUITEATER	<i>Gymnoderus foetidus</i>
ANDEAN COOCK OF THE ROCK	<i>Rupicola peruvianus*</i>
BAND - TAILED FRUITEATER	<i>Pipreola intermedia</i>
BARRED BECARD	<i>Pachyramphus versicolor</i>
BARRED FRUITEATER	<i>Pipreola arcuata</i>
BLACK - CAPPED BECARD	<i>Pachyramphus marginatus*</i>
BLACK -CROWNED TITYRA	<i>tityra inquisitor*</i>
BLACK- FACE COTNGA	<i>Conioptilon mcilhennyi</i>
BLACK -TAILED TITYRA	<i>Tityra cayana*</i>
CHESNUT-CRESTED COTINGA	<i>Ampelion rufaxilla*</i>
CHESNUT-CROWNED BECARD	<i>Pachyramphus castaneus*</i>
CINEREOUS BECARD	<i>Pachyramphus rufus*</i>
CINEREOUS MOURNER	<i>Laniocera hipopyrra</i>
CRESTED BECARD	<i>Pachyramphus validus*</i>

GRAYISH MOURNER	<i>Rhytipterna simplex*</i>
GREEN- BACKED BECARD	<i>Pachyramphus viridis*</i>
MASKED TITYRA	<i>Tityra semifasciata*</i>
PINK-THROATED BECARD	<i>Pachyramphus minor</i>
PLUM-THROATED COTINGA	<i>Cotinga maynana</i>
PURPLE -THROATED COTINGA	<i>Porphirolaema porphirolaema</i>
RED -CRESTED COTINGA	<i>Ampilion rufaxilla*</i>
SPANGLE COTINGA	<i>Cotinga cayana</i>
SCALED FRUITEATER	<i>Ampelioides tshudii</i>
SCRIMING PIHA	<i>Lipaugus vociferans</i>
WHITE-BROWED PURPLETUFT	<i>Iodopleura isabellae*</i>
WHITE-WING BECARD	<i>Pachyramphus polychopterus*</i>
<b>CRACIDEAE (guans,curassow)</b>	
ANDEAN GUAN	<i>Penelope montagnii</i>
BLUE THROATED PINPING-GUAN	<i>Pipile cumanensis*</i>
RAZOR -BELLID CURASSOW	<i>Mitu tuberosum</i>
SPECTACKLED-CHACHALACA	<i>Ortalis guttata*</i>
SICKLE -WINGED GUAN	<i>Chamaepetes geoudotii*</i>
SPIX'S GUAN	<i>Penelope jacquacu*</i>
WATTLED GUAN	<i>Aburria aburri</i>
<b>CUCULIDEAE (cokoos,anis, ground-cokoos)</b>	
ASH-COLORED COCKOO	<i>Coccyzus erythropthalmus</i>
BLACK-BELLIED COCKOO	<i>Piaya melagaster*</i>
DARK-BILLED COCKOO	<i>Coccyzus melacoryphus</i>
GREATER ANI	<i>Crotophaga major</i>
LITTLE COCKOO	<i>Piaya minuta</i>
PAVONINE COCKOO	<i>Dromococcyx pavoninus</i>
PHEASANT COCKOO	<i>Dromococcyx phasinellus</i>
RED BILLED GROUND-COCKOO	<i>Neomorphus pucheranii*</i>
RUFIOUS -VENTED GROUND-COCKOO	<i>Neomorphus geoffroyi*</i>
SMOTH - BILLED ANI	<i>Crotophaga sulcirostris*</i>
SQUIRREL COCKOO	<i>Piaya cayana*</i>
STRIPED COCKOO	<i>Tapera naevia*</i>
YELLOW BILLED COCKOO	<i>Coccyzus amarecanus</i>
<b>DENDROCOLAPTIDEAE (woodcreepers,scythybills)</b>	
AMAZONIAN BARRED-WOODCREEPER	<i>Dedrocolaptes certhia*</i>
BAR-BELLIED WOODCREEPER	<i>Hylexetastes strecemani*</i>
BLACK-BANDED WOODCREEPER	<i>Dedrocolaptes picumnus*</i>
BUFF- THROATED WOODCREEPER	<i>Xiphorhynchus gutatus*</i>
CINNAMON THROATED WOODCREEPER	<i>Dedrexetastes rufigula*</i>



## REAL EXPERIENCE OF BIRDING

ELEGANT WOODCREEPER	<i>Xiphorhynchus elegans*</i>
GREATER SCYTHEBILL	<i>Campylorhamphus pucherani</i>
LINEATED WOODCREEPER	<i>Lepidocolaptes albolineatus*</i>
LONG-BILLED WOODCREEPER	<i>Nasica longirostris</i>
LONG TAILED WOODCREEPER	<i>Deconychura longicauda*</i>
MONTANE WOODCREEPER	<i>Lepidocolaptes lagrimiger*</i>
OCELLATED WOODCREEPER	<i>Xiphorhynchus ocellatus*</i>
OLIVACEOUS WOODCREEPER	<i>Cittasomus griseicapillus*</i>
OLIVE-BACK WOODCREEPER	<i>Xiphorhynchus triangularis*</i>
PLAIN-BROWN WOODCREEPER	<i>Dendrocincla fuliginosa*</i>
RED BILLED SCYTHEBILL	<i>Campylorhamphus trochilirostris*</i>
STRAIGHT BILLED WOODCREEPER	<i>Xiphorhynchus picus*</i>
STRIPED WOODCREEPER	<i>Xiphorhynchus obsoletus*</i>
STRONG BILLED WOODCREEPER	<i>Xiphocolaptes promeropirhynchus*</i>
TSCHUDI'S WOODCREEPER	
WEDGE BILLED WOODCREEPER	<i>Glyphorhynchus spirurus*</i>
WHITE CHINNED WOODCREEPER	<i>Dendrocincla merula*</i>
<b>EMBEREZIDEAE (sierra-finchs,seedeaters,grassquit,brush-finchs,yellow-finchs,cardinal,sparrows)</b>	
ASH-BREASTED SIERRA FINCH	<i>Phrygilus plebejus*</i>
BANDED TAILED SEEDEATER	<i>Catamenia analis*</i>
BANDED-TAILED SIERRA-FINCH	<i>Phrygilus alaudinus*</i>
BLACK AND WHITE SEEDEATER	<i>Sporophila luctuosa</i>
BLACK BILLED SEED-FINCH	<i>Oryzoborus atrirostris*</i>
BLACK-FACE BRUSCH-FINCH	<i>Atlapetesrufinucha*</i>
BLUE-BACK GRASSQUIT	<i>Volatinia jacarina*</i>
BRIGHT-RUMPED YELLOW- FINCH	<i>Sicalis uropygialis*</i>
CAQUETA SEEDEATER	<i>Sporofila murallae</i>
CHESNUT-BELLIED SEED-FINCH	<i>Orizoborus angolensis*</i>
CHESNUT-BELLIED SEEDEATER	<i>Sporophila castaneiventris</i>
CHESNUT-BREASTED MOUNTAIN -FINCH	<i>Poospiza caesa</i>
CHESNUT CAPPEFD BRUSH FINCH	<i>Buarremon brunneinucha*</i>
CUSCO-BRUSH FINCH	
DOUBLE- COLLARED SEEDEATER	<i>Sporophila caerulescens*</i>
GRASSLAND YELLOW FINCH	<i>Sicalis luteola*</i>
GREENISH YELLOW-FINCH	<i>Sicalis olivascens*</i>
LESSON'S SEEDEATER	<i>Sporophila bouvromides*</i>
LINED SEEDEATER	<i>Sporophila lineola</i>
MOURNING SERRA-FINCH	<i>Phrygilus fruticeti*</i>
OLIVE FINCH	<i>Lysurus castaneiceps</i>

PARAMO SEEDEATER	<i>Catamenia homochroa*</i>
PECTORAL SPARROW	<i>Arremon taciturnus*</i>
PARUVIAN SIERRA -FINCH	<i>Phrygilus punensis*</i>
PLAIN -COLORED SEEDEATER	<i>Catamenia inornata*</i>
RED-CAPPED CARDINAL	<i>Paroaria gularis*</i>
RED-CRESTED FINCH	<i>Coryphospingus cucullatus*</i>
RUFOUS-COLLARED SPARROW	<i>Zonotrichia capensis*</i>
SLATE-COLORED SEEDEATER	<i>Sporophila schistacea*</i>
SLATY FINCH	<i>Haplospiza rustica*</i>
STRIPE - HEADED BRUSH-FINCH	<i>Buarremon tourcautus*</i>
VARIABLE SEEDEATER	<i>Sporophila corvina*</i>
YELLOW - BELLIED SEEDEATER	<i>Sporophila nigricolis*</i>
YELLOW -BROWED SPARROW	<i>Ammodramus aurifrons*</i>
<b>EURYPYGIDEAE (sunbiter)</b>	
SUNBITERN	<i>Eurypyga helias*</i>
<b>FALCONIDEAE (falcons,caracaras,forest-falcons pergrine)</b>	
AMERICAN KESTREL	<i>Falco sparverius*</i>
APLOMADO FALCON	<i>Falco femoralis*</i>
BARRED-FOREST FALCON	<i>Micrastur ruficolis</i>
BAT FALCON	<i>falco rufigularis*</i>
BLACK CARACARA	
BUCKLY'S -FORREST FALCON	<i>Micrastur mirandollei</i>
COLARED-FOREST FALCON	<i>micrastur semitourquatus</i>
LAUGHING FALCON	<i>Herpetotheres cachinnans*</i>
LINED -FOREST FALCON	<i>Micrastur gilvicolis</i>
MOUNTAIN CARACARA	<i>Phacobeunus megalopterus</i>
ORANGE-BREASTED FALCON	<i>Falco deiroleucus</i>
PEREGRINE	<i>Falco peregrinus*</i>
RED-THROEATD CARACARA	<i>Ibycter americanus</i>
SLATY-BACKED FOREST-FALCON	<i>Micrastur mirandollie</i>
SOUTHERN CARACARA	<i>Caracara plancus</i>
<b>FURNARIDEAE (spinetails,cinclodes,leaf tossers,foliage-cleaners,treehunters hookbills,bartails,softtail,canasteros, miners, recurbill, xenops, rushbird,recurvebill)</b>	
ASH-BROWED SPINETAIL	<i>Cranioleuca curtata</i>
AZARA'S SPINETAIL	<i>Synallaxis azare</i>
BAR-WINGED CINCLODES	<i>Cinclodes fuscus</i>
BLACK-BILLED TREEHUNTER	<i>Thripadectes melanorhynchus</i>
BLACK-TAILED LEAFTOSSER	<i>Sclerurus caudacutus</i>
BROWN-RUMPED FILIAGE-GLEANER	<i>Automolus melanopezus</i>
BUFF-FRONTED FOLIAGE-GLEANER	<i>Philydor rufum</i>



BUFF-THROATED FOLIAGE-GLEANER	<i>Automolus ochrolaemus</i>
BUFF-THROATED TREEHUNTER	<i>Thripadectes scrutator</i>
CABANIS' SPINETAIL	<i>Synallaxis cabanisi</i>
CHESNUT-CROWNED FOLIAGE-GLEANER	<i>Automolus rufipileatus</i>
CHESNUT-WINGED FOLIAGE-GLEANER	<i>Philydor erythropterum</i>
CHESNUT-WINGED HOOBILL	<i>Ancistrops strigilatus</i>
CINNAMON-RUMPED FOLIAGE-GLEANER	<i>Philydor pyrrhodes</i>
COMMON MINER	<i>Geositta punensis</i>
CREAMY-CRESTED SPINETAIL	<i>Cranioleuca albicapilla</i>
DARK-BREASTED SPINETAIL	<i>Synallaxis albigularis</i>
DUSKY-CHEEKED FOLIAGE-GLEANER	<i>Anabazenops dorsalis</i>
GREY-THROATED LEAFTOSSER	<i>Sclerurus albigularis</i>
JUNIN CANASTERO	<i>Asthenes virgata</i>
LINE-FRONTED CANASTERO	<i>Asthenes urubabensis</i>
MARCAPATA SPINETAIL	<i>Cranioleuca marcapatae</i>
MONTANE FOLIAGE-GLEANER	<i>Anabacerthia sgtriacollis</i>
OLIVE-BACKED FOLIAGE-GLEANER	<i>Automolus infuscatus</i>
ORANGE-FRONTED PLUSH CROWN	<i>Metopothrix aurantiaca</i>
PALE-BREASTED SPINETAIL	<i>Synallaxis albescens</i>
PALE-LEGED HORNERO	<i>Furnarius minor</i>
PEARLED TREERUNNER	<i>Margarornis squamiger</i>
PERUVIAN RECURVEBILL	<i>Simoxenops ucayalae</i>
PLAIN SOFTAIL	<i>Thripophaga fusciceps</i>
PLAIN XENOPS	<i>Xenops minutus</i>
PLAIN-CROWNED SPINETAIL	<i>Synallaxis gujanensis</i>
POINT-TAILED PALMCREEPER	<i>Berlepschia rikeri</i>
PUNA THISTLETAIL	<i>Schizoeaca helleri</i>
RUDDY FOLIAGE-GLEANER	<i>Automolus rubiginosus</i>
RUDDY SPINETAIL	<i>Synallaxis rutilans</i>
RUFIOUS -TAILED FOLIAGE-GLEANER	<i>Philydor ruficaudatus</i>
RUFIOUS-RUMPED FOLIAGE-GLEANER	<i>Philydor erythrocercus</i>
RUFIOUS TAILED XENOPS	<i>Xenops milleri</i>
RUSTY-FRONTED CANASTRO	<i>Asthenes humilis</i>
RUSTY-WINGED BARTAIL	<i>Premnornis guttuligera</i>
SCREBBLE-TAILED CANASTERO	<i>Asthenes maculicauda</i>
SHARP-TAILED STREAMCREEPER	<i>Lochmias nematura</i>
SLENDER-BILLED MINER	<i>Geositta tenuirostris</i>
SLENDER -BILLED XENOPS	<i>Xenops tenuirostris</i>
SPECKLED SPINETAIL	<i>Cranioleuca gutturata</i>
SPOTTED BARTAIL	<i>Premnoplex brunnescens</i>

STREAK-BACKED CANASTERO	<i>Asthjenes wyatti</i>
STREAK-FRONTED THRONBIRD	<i>Phacellodomus dorsalis</i>
STREAK-THROATED CANASTERO	<i>Asthenes humilis</i>
STREAKED TUFTEDCHEEK	<i>Pseudocolaptes boissonneautti</i>
STREAKED XENOPS	<i>Xenops rutilans</i>
STRIPED WOODHANTER	<i>Hyloctistes subulatus</i>
TAWNY-THROATED LEAFTOSSER	<i>Sclerurus mexicanus</i>
WHITE-WINGED CINCLODES	<i>Cinclodes atacamensis</i>
WREN-LIKE RUSHBIRD	<i>Phleocryptes melanops</i>
<b>FORMICARIDEAE (antpitas, antthrushes,)</b>	
AMAZONIAN ANTPITTA	<i>Hylopezus berlepschi</i>
BARRED ANTTHRUSH	<i>Chamaeza mollissima*</i>
BLACK-FACE ANTTHRUSH	<i>Formicarius analis</i>
ELUSIVE ANTPITTA	<i>Grallaria eludens</i>
OCHRE -BREASTED ANTPITTA	<i>Grallaricula flavirostris*</i>
RED AND WHITE ANTPITTA	<i>Grallaria erythroleuca</i>
RUFIOUS ANTPITTA	<i>Grallaria rufula*</i>
RUFIOUS-BREASTED ANTTHRUSH	<i>Formicarius rufipectus*</i>
ROFUOS -CAPPED ANTTHRUSH	<i>Formicarius colma*</i>
ROFUOS -FRONTED ANTTHRUSH	<i>Formicarius rufifrons</i>
RUSTY-BREASTED ANTPITTA	<i>Grallaricula ferrugineipectus*</i>
SCALED ANTPITTA	<i>Grallaria guatemalensis</i>
SHORT -TAILED ANTTHRUSH	<i>Chamaza campanisona*</i>
STRIAKED ANTTHRUSH	<i>Chamaeza nobilis*</i>
STRIPED-HEADED ANTPITTA	<i>Grallaria andicolus*</i>
TRUSH-LIKE ANTPITTA	<i>Myrmothera campanisona*</i>
ONDULATED ANTPITTA	<i>Grallaria squanigera*</i>
WHITE-THROATED ANTPITTA	<i>Grallaria anbigula</i>
<b>FRINGILIDEAE (siskins)</b>	
BLACK SISKIN	<i>Carduelis atrata</i>
HOODED SISKIN	<i>Carduelis magellanica*</i>
OLIVACEOUS SISKIN	<i>Carduelis olivacea</i>
THICK-BILLED SISKIN	<i>Carduelis crassirostris*</i>
<b>GALBULIDEAE (jacamars)</b>	
BLUISH FRONTED JACAMAR	<i>Galbula cyanescens</i>
GREAT JACAMAR	<i>Jacamerops aureus*</i>
PARADISE JACAMAR	<i>Galbula dea*</i>
PURUS JACAMAR	<i>Galbalcyrhynchus purusianus</i>
WHITE THROATED JACAMAR	<i>Brachygalba albogularis</i>
<b>HELIORNITHIDEAE (sungrebe)</b>	

SUNGREBE	<i>Heliornis fulica</i> *
<b>HIRUNDINIDAE (swallows, martins)</b>	
ANDEAN SWALLOW	<i>Haplochelidon andecola</i> *
BANK SWALLOW	<i>Riparia riparia</i> *
BARN SWALLOW	<i>Hirundo rustica</i> *
BLUE AND WHITE SWALLOW	<i>Pygochelidon cyanoleuca</i> *
BROWN BELLIED SWALLOW	<i>Notiochelidon murina</i> * <i>flavipes</i>
BROWN CHESTED MARTIN	<i>Progne tapera</i>
CLIFF SWALLOW	<i>Petrochelidon pyrrhonota</i> *
GRAY BREASTED MARTIN	<i>Progne chalybea</i> *
PALE FOOTED SWALLOW	<i>Notiochelidon flavipes</i>
PURPLE MARTIN	<i>Progne subis</i> *
SOUTHERN ROUGH WINGED SWALLOW	<i>Stelgidopteryx ruficollis</i> *
SOUTHERN MARTIN	<i>Progne elegans</i>
TAWNY HEADED SWALLOW	<i>Alopochelidon fucata</i>
WHITE RUMPED SWALLOW	<i>Tachycineta leucorrhoa</i>
WHITE THIGHED SWALLOW	<i>Neochelidon tibialis</i> *
WHITE BANDED SWALLOW	<i>Atticora fasciata</i>
WHITE WINGED SWALLOW	<i>Tachycineta albiventer</i>
<b>ICTERIDAE (troupials, oropendolas, orioles, casiques, cowbirds, blackbirds)</b>	
BOBOLINK	<i>Dolichonyx oryzivorus</i>
BLACK -BACKED TROUPIAL	<i>Icterus icterus</i> *
CASQUET OROPENDOLA	<i>Clypcterus oseryi</i>
CRESTED OROPENDOLA	<i>Psarocolius decumanus</i> *
DUSKY-GREEN OROPENDOLA	<i>Psarocolius atrovirens</i>
EPAULET ORIOLE	<i>Icterus cayanensis</i> *
GIANT COWBIRD	<i>Molothrus oryzivorus</i> *
OLIVE OROPENDOLA	<i>Psarocolius bifasciatus</i> *
MOUNTAIN CASIQUE	<i>Casicus chrysonotus</i> *
RUSSET-BACKED OROPENDOLA	<i>Psarocolius angustifrons</i> *
SELVA CASIQUE	<i>Casicus kaeopckea</i>
SOLITARY -BLACK CASIQUE	<i>Casicus solitarius</i>
SCARLET RUMPED CASIQUE	<i>Casicus uropygialis</i> *
SHINY -COWBIRD	<i>Molothrus bonariensis</i> *
PALE - EYED BLACKBIRD	<i>Agelasticus xanthophthalmus</i>
WHITE-BROWED BLACKBIRD	<i>Sturnella supersiliaris</i>
YELLOW -RUMPED CASIQUE	<i>casicus cela</i> *
YELLOW-WINGED BLACKBIRD	<i>angealsticus thilius</i> *
<b>JACANIDAE (jacana)</b>	
WATTLET JACANA	<i>Jacana jacana</i> *

<b>LARIDEAE (gulls)</b>	
ANDEAN GULL	<i>Chroicocephalus serranus</i>
FANKLIN'S GULL	<i>Leucophaeus pipixcan</i>
<b>MIMIDEAE (donacobius, mockingbird)</b>	
BLACK CAPPED DONACOBIOUS	<i>Donacobius atrocapillus</i>
WHITE-BANDED MOCKINGBIRD	<i>Mimus triurus</i>
<b>MOMOTIDEAE (motmots)</b>	
BLUE-CROWNED MOTMOT	<i>Momotua momota*</i>
BROAD -BILLED MOTMOT	<i>electron platyrhynchum*</i>
HIGHLAND MOTMOT	<i>Momotus aequatorialis*</i>
RUFOUS MOTMOT	<i>Baryopthengus martii*</i>
<b>NYCTIBIIDAE (potoos)</b>	
ANDEAN POTOO	<i>Nyctibius maculosus</i>
COMMON POTOO	<i>Nyctibius griseus*</i>
GREAT POTOO	<i>Nyctibius grandis*</i>
LONG TAILED POTOO	<i>Nyctibius aethereus*</i>
<b>ODONTOPHORIDEAE (wood-quails)</b>	
MARbled WOOQ QUAIL	<i>Odontophorus gujanensis*</i>
RUFOUS-BREASTED WOOD QUAIL	<i>Odontophorus speciosus*</i>
STARRED WOOD-QUAIL	<i>Odontophorus stellatus</i>
STRIPED- FACE WOOD QUIAL	<i>Odontophorus balliviani</i>
<b>OPISTHOCOMIDEAE (hoatzin)</b>	
HOATZIN	<i>Opistomus hoatzin</i>
<b>OXYRUNCIDEAE (sharpbill)</b>	
SHARPBILL	<i>Oxyruncus cristatus*</i>
<b>PANDIONIDEAE (osprey)</b>	
OSPREY	<i>Pandion haliaetus</i>
<b>PARULIDEAE warblers, redstars, yellowthroat, parula</b>	
BLACKBURNIAN WARBLER	<i>Dendroica fusca</i>
BLACKPOLL WARBLER	<i>Dendroica striata</i>
BUFF-RUMPED WARBLER	<i>Phaeothlypis fulvicauda</i>
CANADA WARBLER	<i>Wilsonia canadensis</i>
CERULEAN WARBLER	<i>Dendroica cerulea</i>
CETRINE WARBLER	<i>Basileuterus luteoviridis*</i>
GOLDEN-BELLIED WARBLER	<i>Basileuterus chrysogaster</i>
MASKED-YELLOWTHROAT	<i>Geothlypis aequinoctialis*</i>
PALE-LEGED WARBLER	<i>Basileuterus signatus</i>
RUSSET-CROWNED WARBLER	<i>Basileuterus coronatus*</i>
SLATE-THROATED REDSTART	<i>Myioborus miniatus*</i>
SPECTACLED REDSTART	<i>Myioborus melanocephalus*</i>

THREE-STRIPE WARBLER	<i>Basileuterus trifasciatus</i>
TROPICAL PARULA	<i>Parula pitiayuni*</i>
TWO-BANDED WARBLER	<i>Basileuterus bivittatus*</i>
<b>PHACROCORACIDAE (cormorants)</b>	
NEOTROPICAL CORMORANT	<i>Phalacrocorax brasilianus*</i>
<b>PHOENICOPTERIDAE (flamingos)</b>	
ANDEAN FLAMINGO	<i>Phoenicoparrus andinus</i>
CHILEAN FLAMINGO	<i>Phoenicopterus chilensis</i>
JAMES'S FLAMINGO	<i>phoenicoparrus jamesi</i>
<b>PICIDAE (flicker, piculets, woodpeckers)</b>	
ANDEAN FLICKER	<i>Colaptes rupicola*</i>
BAR-BREASTED PICULET	<i>Picumnus aurifrons</i>
BAR-BELLIED WOODPECKER	<i>Veniliornis nigriceps*</i>
CHESNUT -BREASTED PICULET	<i>Picumnus rufiventris*</i>
CHESNUT WOODPECKER	<i>Celeus elegans*</i>
CRIMSON- BELLIED WOODPECKER	<i>Campephilus haematogaster*</i>
CRIMSON-MANTLED WOODPECKER	<i>Colaptes rivolii*</i>
FINE-BARRED PICULET	<i>Picumnus subtalis</i>
GOLDEN-GREEN WOODPECKER	<i>Piculus chrysochloros*</i>
GOLDEN-OLIVE WOODPECKER	<i>Colaptes rubiginosus*</i>
LINEATED WOODPECKER	<i>Dryocopus lineatus*</i>
LITTLE WOODPECKER	<i>Veniliornis affinis*</i>
RED -NECKED WOODPECKER	<i>Campephilus rubicollis*</i>
RED-STAINED WOODPECKER	<i>Veniliornis passerinus*</i>
RINGED WOODPECKER	<i>Celeus torquarus*</i>
RUFIOUS-BREASTED PICULET	<i>Picumnus rufiventris*</i>
RUFIOUS-HEADED WOODPECKER	<i>Celeus spectralis*</i>
SCALE-BREASTED WOODPECKER	<i>Celeus grammicus*</i>
SPOT-THROATED WOODPECKER	<i>Deconychura stictolaema*</i>
WHITE-THROATED WOODPECKER	<i>Piculus leucolaemus</i>
YELLOW -THROATED WOODPECKER	<i>Piculus flavigula*</i>
<b>PIPRIDAE (manakins, tyrant-manakins, schiffornis,)</b>	
BAND-TAILED MANAKIN	<i>Pipra fasciicauda*</i>
BLUE -BACKED MANAKIN	<i>Chiroxiphia pareola*</i>
BLUE-CROWNED MANAKIN	<i>Lepidothrix coronata*</i>
CERULEAN -CAPPED MANAKIN	<i>Lepidothrix coeruleocapilla</i>
DWARF-TYRANT MANAKIN	<i>Tyrannetes stolzmanni</i>
FIRY-CAPPED MANAKIN	<i>Machaeropterus pyrocephalus*</i>
GREEN MANAKIN	<i>Xenopipo honochlora*</i>
ROUND-TAILED MANAKIN	<i>Pipra chloromeros</i>

SULPHUR-BELLIED TYRANT- MANAKIN	<i>Neopelma sulphureiventer</i>
THRUSH -LIKE SCHIFFORNIS	<i>Schiffornis turdina*</i>
VARZEA SCHIFFORNIS	<i>Schiffornis major*</i>
WHITE-BEARDED MANAKIN	<i>Manacus manacus*</i>
WING-BARRED MANAKIN	<i>Piprites chloris*</i>
YUNGAS MANAKIN	<i>Chiroxiphia boliviana*</i>
<b>PODICIPEDIDAE (sungrebes)</b>	
LEAST SUNGREBE	<i>Tachybaptus dominicus</i>
SILVERY GREBE	<i>Pudiceps occipitalis*</i>
WHITE TUFFTED GREBE	<i>Rollandia roland*</i>
<b>POLIOPTILIDAE (gnatwrens)</b>	
LONG-BILLED GNATWREN	<i>Ramphocaenus melanurus*</i>
HALF-COLLARED GNATWREN	<i>Microbates cinereiventris*</i>
<b>PSITACIDAE (parrotlets, parakeets, parrots, macaws, )</b>	
AMAZONIAN PARROTLET	<i>Nannopsittaca dachilleae</i>
ANDEAN PARAKEET	<i>Bolborhynchus orbynesius</i>
BARRED PARAKEET	<i>Bolborhynchus lineola*</i>
BLACK-CAPPED PARAKEET	<i>Pyrrhura rupicola*</i>
BLUE AND YELLOW MACAW	<i>Ara ararauna</i>
BLUE-HEADED MACAW	<i>Primolius couloni</i>
BLUE-HEADED PARROT	<i>Pionus menstruus*</i>
BLUE-WING PARROKLET	<i>Forpus xanthopterygius*</i>
CHESNUT-FRONTED MACAW	<i>Ara severus*</i>
COBALT-WINGED PARAKET	<i>Brotogeris cyanopectera*</i>
DUSKY-BILLED PARROKLET	<i>Forpus sclateri*</i>
GOLDEN- PLUMED PARAKET	<i>Leptosittaca branickii</i>
MEALY PARROT	<i>Amazonafarinosa*</i>
MILITARY MACAW	<i>Ara militaris*</i>
MITRED PARAKEET	<i>Aratinga mitrata*</i>
ORANGE -CHEEKED PARROT	<i>Pyrrilia barrabandi</i>
PAINTED PARAKEET	
RED AND GREEN MACAW	<i>Ara chloropterus</i>
RED -BELLEID MACAW	<i>Orthopsittaca manilata</i>
ROSE-FRONTED PARAKEET	<i>Pyrrhura roseifrons</i>
SCALY-NAPED PARROT	<i>Amazona mercenaria*</i>
SCARLET MACAW	<i>Ara macao*</i>
SPECKLE - FACED PARROT	<i>Pionus tumultuosus*</i>
TUI PARAKEET	<i>Brotogeris sanctithomae*</i>
WHITE-BELLIED PARROT	<i>Pionites leucogaster*</i>
WHITE-EYED PARAKEET	<i>Aratinga leucophthalma*</i>

YELLOW-CROWNED PARROT	<i>Amazona achrocephala</i> *
<b>PSOPHIIDEAE (trumpeter)</b>	
PALE-WINGED TRUMPETER	<i>psophia leucoptera</i> *
<b>RALLIDEAE (coots, gallinules, crakes,moorhen, rails)</b>	
ANDEAN COOT	<i>Fulica ardesiaca</i> *
AZURE GALLINULE	<i>Porphyrio flavirostris</i>
BLACKISH RAIL	<i>Pardirallus nigricans</i> *
CHESNUT-HEADED CRAKE	<i>Anurolimnas castaneiceps</i> *
COMMON MOORHEN	<i>Gallinula chloropus</i> * <i>pauxilla</i>
GIANT COOT	<i>Fulica gigantea</i>
GRAY-BREASTED CRAKE	<i>Laterallus exilis</i>
GRAY-NECKED WOOD-QUAIL	<i>Aramides cajanea</i> *
PAINT-BILLED CRAKE	<i>Neocrex erythrops</i> *
PLUMBEOUS RAIL	<i>Paradirallus sanguinolentus</i> *
PURPLE GALLINULE	<i>Porphyrio martinica</i>
RUFOUS-SIDED CRAKE	<i>Laterallus melanophaius</i> *
UNIFOR CRAKE	<i>Amaurolimnas concolor</i> *
<b>RAMPHASTIDEAE (toucants, toucanets, aracarís,)</b>	
BLUE-BANDED TOUCANET	<i>Aulacorhynchus coruleicinctis</i>
CHANNEL-BILLED TOUCANT	<i>Ramphastos vitellinus</i> *
CHESNUT -TIPPED TOUCANET	<i>Aulacorhynchus derbianus</i> *
CURL-CRESTED ARACARI	<i>Pteroglossus beauharnaesii</i>
EMERALD-TOUCANET	<i>Aulacorhynchus prasimus</i> *
GOLDEN-COLLARED TOUCANET	<i>Selenidera reinwardtii</i> *
GRAY-BREASTED MOUNTAIN-TOUCANT	<i>Andigena hypoglauca</i> *
IVORY-BILLED ARACARI	<i>Pteroglossus azara</i> *
LETTERED ARACARI	<i>Pteroglossus inscriptus</i> *
WHITE-THROATED TOUCANT	<i>Ramphastos tucanus</i>
<b>RECURVIROSTRIDEAE stills</b>	
BLACK-NECKED STILL	
WHITE-BACKED STILL	
<b>RHYNOCRYPTIDEAE (tapaculos, )</b>	
DIADEMED TAPACULO	<i>Scylopus schulenbergi</i>
PUNA TAPACULO	<i>Scylopus simonsi</i>
RUSTY-BELTED TAPACULO	<i>Liosceles thoracicus</i> *
TRILLING TAPACULO	<i>Scytalopus parvirostris</i>
WHITE-CROWNED TAPACULO	<i>Sscytalopus atratus</i> *
<b>RHYNCHOIDEAE (skimmers)</b>	
BLACK SKIMMER	<i>Rynchops niger</i> *
<b>SCOLOPACIDEAE (sandpipers,godwits, yellowlegs,turnstones,phalarapes)</b>	

BAIRD'S SANDPIPER	<i>Caladris bairdii</i>
BUFF-BREASTED SANDPIPER	<i>Tryngites subruccollus</i>
GREATER YELLOWLEGS	<i>Tringa melanoleuca</i>
HUDSONIAN GODWIT	<i>Limosa haemastica</i>
LESSER YELLOWLEGS	<i>Tringa flaviceps</i>
PECTORAL SANDPIPER	<i>Caladris melanotos</i>
PUNA SNIPE	<i>Gallinago andina</i>
RUDDY TURNSTONE	<i>Arenaria interpres*</i>
SANDERLING	<i>Caladris alba</i>
SOLITARY SANDPIPER	<i>Tringa solitaria</i>
SPOTTED SANDPIPER	<i>actitis macularius</i>
STILT SANDPIPER	<i>Caladris himantopus</i>
UPLAND SANDPIPER	<i>Bartrania longicauda</i>
WILSON'S PHALAROPE	<i>Phalaropus tricolor</i>
<b>STEATORNITHIDEAE (oilbirds)</b>	
OILBIRD	<i>Steatornis caripensis</i>
<b>STERNIDEAE (terns)</b>	
ARTIC TERN	<i>Sterna paradisaea</i>
BLACK TERN	<i>Chlidonias niger*</i>
LARGE-BILLED TERN	<i>Phaetusa simplex*</i>
YELLOW BILLED TERN	<i>Sternula superciliaris</i>
<b>STRIGIDEAE (owls,screech-owls,pygmy-owls)</b>	
ANDEAN PYGMY OWL	<i>Glaucidium jardiinii*</i>
AMAZONIAN PYGMY-OWL	<i>Glaucidium hardyi</i>
BAND-BELLIED OWL	<i>Pulsarix melanota</i>
BLACK- BANDED OWL	<i>Ciccaba huhula*</i>
BURROWIG OWL	<i>Athene cunicularia*</i>
CRESTED OWL	<i>Lophotrix cristata</i>
FERRUGINOUS PYGMY -OWL	<i>Glaucidium brasilianum*</i>
MOTTLED OWL	<i>Ciccaba virginata*</i>
RUFESCENT- SCREECH OWL	<i>Magaslops ingens*</i>
RUFOUS-BANDED OWL	<i>Ciccabaalbitarsis*</i>
SUBTROPICAL PYGMY-OWL	<i>Glaucidium parkri</i>
SPECTACLED OWL	<i>Pulsatrix perpicillata*</i>
STRIPE OWL	<i>Pseudoscops clamator*</i>
TAWNY- BELLIED SCREECH-OWL	<i>Megaslops watsonii*</i>
TROPICAL SCREECH OWL	<i>Megascops choliba*</i>
VERMECULATED -SCREECH OWL	<i>Maegslops guatemalae</i>
WHITE-THROATED SCREECH OWL	<i>Megascops albogularis</i>
<b>THAMNOPHILIDEAE (antshrikes,antbirds,antwrens)</b>	



AMAZONIAN ANTSHRIKE	<i>Thamnophilus amazonicus*</i>
AMAZONIAN-STRIAKED ANTWREN	<i>Myrmotherula multostriata</i>
BAMBOO ANTSHRIKE	<i>Cymbilaimus sanctaemariae</i>
BAND-TAILED ANTBIRD	<i>Hypocnemoides maculicauda*</i>
BANDED ANTBIRD	<i>Dichrozona cincta*</i>
BARRED ANTSHRIKE	<i>thamnophilus doliatus*</i>
BLACK ANTBIRD	<i>Cercomacra seva*</i>
BLACK BUSHBIRD	<i>Neotantes niger</i>
BLACK-FACE ANTBIRD	<i>Myrmoborus myotherinus*</i>
BLACK-SPOTTED BARE-EYE	<i>Phlegopsis nogromaculata*</i>
BLACK-THROATED ANTBIRD	<i>Myrmeciza atrothorax*</i>
BLACKISH ANTBIRD	<i>Cercomacra nigrescens*</i>
BLUISH-STATE ANTSHRIKE	<i>Thamnophilus schistogynus</i>
BROWNISH - HEADED ANTBIRD	<i>Schistocichla brunneiceps</i>
CHESNUT-BACKED ANTSHRIKE	<i>Thamnophilus palliatus*</i>
CHESNUT-SHOULDERED ANTWREN	<i>Terenura humeralis*</i>
CHESNUT-TAILED ANTBIRD	<i>Myrmeciza hemimelaena*</i>
DOT-WING ANTWREN	<i>Microrhopias quixensis*</i>
DUSKY- THROATED ANTSHRIKE	<i>Thamnophilus ardesiacus*</i>
FASCIATED ANTSHRIKE	<i>Cymbilaimus lineatus*</i>
FOOTHILL ANTWREN	<i>Epynechophylla spodionota*</i>
GOELDI'S ANTBIRD	<i>Myrmeciza goeldii</i>
GRAY ANTBIRD	<i>Cercomacra cinerascens*</i>
GRAY ANTWREN	<i>Myrmotherula menetriesii*</i>
GREAT ANTSHRIKE	<i>Taraba major*</i>
HAIRY-CRESTED ANTBIRD	<i>Rhegmatorhina malanosticta*</i>
HUMAITA ANTBIRD	<i>Schistocichla humaythae</i>
IHERING'S ANTWREN	<i>Myrmotherula iheringi*</i>
LONG-TAILED ANTBIRD	<i>Drymophila caudata*</i>
LONG-TAILED ANTWREN	<i>Myrmotherula longipennis*</i>
MANU ANTBIRD	<i>Cercomacra manu</i>
MOUSE-COLORED ANTSHRIKE	<i>Thamnophilus murinus*</i>
ORNATE ANTWREN	<i>epinechophylla ornata*</i>
PERUVIAN-WARBLING ANTBIRD	<i>hYpocnemis peruviana*</i>
PLAIN ANTVIREO	<i>Dysithamnus mentalis*</i>
PLAIN-THROATED ANTWREN	<i>Myrmocerula auxwelli*</i>
PLAIN-WINGED ANTSHRIKE	<i>Thamnophilus schistaceus*</i>
PLUMBEOUS ANTBIRD	<i>myrmeciza hyperythra</i>
PYGMY ANTWREN	<i>Myrmotherula brachyura</i>
RUFOUS-RUMPED ANTWREN	<i>Terenura callinota*</i>

RUFOUS-TAILED ANTWREN	<i>Epinecrophylla erythrura</i>
RUFOUS-WINGED ANTWREN	<i>Herpsilochmus rufimarginatus*</i>
RUSSET ANTSHRIKE	<i>Thamnistes anabatinus*</i>
SCALED -BACKED ANTBIRD	<i>Willisornis poecilinotus*</i>
SCLATER'S ANTWREN	<i>Myrmotherula sclatari</i>
SILVERED ANTBIRD	<i>Sclateria naevia*</i>
SLATY ANTWREN	<i>Myrmotherula schisticolor</i>
SOOTY ANTBIRD	<i>Myrmeciza fortis*</i>
SPOT-BACKED ANTBIRD	<i>Hylophylax naevius*</i>
SPOT-WING ANTBIRD	<i>Schistocichla leucostigma*</i>
SPOT-WING ANTSHRIKE	<i>Pygiptila stellaris*</i>
STIPPLE-THROATED ANTWREN	<i>Epinecrophylla haematonota*</i>
STRIATED ANTBIRD	<i>Drymophila devillei*</i>
STRIPE-CHESTED ANTWREN	<i>Myrmotherula longicauda*</i>
UNDULATED ANTSHRIKE	<i>Frederickena unduligera*</i>
UNIFOR ANTSHRIKE	<i>thamnophilus unicolor*</i>
VARIABLE ANTSHRIKE	<i>Thamnophilus caerulescens*</i>
WHITE-BACKED FIRE-AYE	<i>Pyriglena leuconota*</i>
WHITE-BROWED ANTBIRD	<i>Myrmoborus leucophrys*</i>
WHITE-AYED ANTWREN	<i>epynecrophilla leucophtalma*</i>
WHITE-FLANCKED ANTWREN	<i>Myrmotherula axillaris*</i>
WHITE-LINED ANTBIRD	<i>Percnostola lophotes</i>
WHITE-SHOULDERED ANTSHRIKE	<i>Thamnophilus aethiops*</i>
WHITE-THROTATED ANTBIRD	<i>Gymnopithys salvini*</i>
YELLOW- BREASTED WARBLING ANTBIRD	<i>Hypocnemis subflava*</i>
YELLOW-BRASTED ANTWREN	<i>Herpsilochmus axillaris*</i>
<b>TRAUPIDEAE (dacnis,flowerpiercers,plushcap,hemispingus,chlorofonias,coneills,tanagers, bush-tanagers, honeycreepers, euphonias)</b>	
ASHY-THROATED BUSH-TANAGER	<i>Chlorospingus canigularis*</i>
BAY-HEADED TANAGER	<i>Tangara gyrola*</i>
BERYL-SPANGLED TANAGER	<i>Tangara nigroviridis*</i>
BLACK-CAPPED HEMISPINGUS	<i>Hemispingus atropeleus*</i>
BLACK-EARED HEMISPINGUS	<i>Hemispingus melanotis*</i>
BLACK -FACE DACNIS	<i>Dacnis lineata*</i>
BALCK -FACE TANAGER	<i>Schistochlamys melanopis*</i>
BLACK-GOGGLED TANAGER	<i>Trichothraupis melanops</i>
BLACK AND WHITE TANAGER	<i>Conothraupis speculigera</i>
BLACK-THROATED FLOWERPIERCER	<i>Diglossa brunneiventris*</i>
BLUE DACNIS	<i>Dacnis cayana*</i>
BLUE AND BLACK TANAGER	<i>Tangara vassorii*</i>

BLUE AND YELLOW TANAGER	<i>Thraupis bonariensis*</i>
BLUE-BACKED CONEBILL	<i>Conirostrun sitticolor*</i>
BLUE-CAPPED TANAGER	<i>Thraupis cyanocephala*</i>
BLUE-GRAY TANAGER	<i>Thraupis episcopus*</i>
BLUE- NAPED CHLOROPHONIA	<i>Chlorophonia cyanea*</i>
BLUE-NECKED TANAGER	<i>tangara cyanicollis*</i>
BLUE - WINGED MOUNTAIN -TANAGER	<i>Anisognathus somptuosus*</i>
BLUISH-FLOWERPIERCER	<i>Diglossa caerulescens*</i>
BRONZE-GREEN EUPHONIA	<i>Euphonia mesochrysa*</i>
BUFF-BREASTED MOUNTAIN-TANAGER	<i>Dubusia taeniata*</i>
CARMIOL'S TANAGER	<i>Chlorothroaupis carmioli*</i>
CAPPED CONEBILL	<i>Conirostrum albifrons*</i>
CHESNUT-BELLIED MOUNTAIN -TANAGER	<i>delothraupis castaneoventris</i>
CHESNUT-VENTED CONEBILL	<i>Conirostrum speciosum*</i>
CINEREOUS CONEBILL	<i>Conirostrum cinereum*</i>
COMMON BUSH-TANAGER	<i>Chlorospingus ophthalmicus*</i>
DEEP-BLUE FLOWERPIERCER	<i>Diglossa glauca*</i>
DRAB HEMISPINGUS	<i>Hemispingus xanthophthalmus</i>
FAWN-BREASTED TANAGER	<i>Pipraeidea melanonota*</i>
FLAME-FACE TANAGER	<i>Tangara parzudakii*</i>
FLAME -CRESTED TANAGER	<i>Tachyphonus cristatus*</i>
GOLDEN TANAGER	<i>Tangara arthus*</i>
GOLDEN-BELLIED EUPHONIA	<i>Euphonia chrysopasta*</i>
GOLDEN-COLLARED HONEYCREEPER	<i>Iridophanes pulcherrimus*</i>
GOLDEN -COLLARED TANAGER	<i>Iridosornis jelskii*</i>
GOLDEN -EARED TANAGER	<i>Tangara chrysotis</i>
GOLDEN-NAPEDTANAGER	<i>Tangara ruficervix*</i>
GRASS-GREEN TANAGER	<i>chlorornis riefferii*</i>
GRAY-HOODED BUSH -TANAGER	<i>Cnemoscopus rubrirostris*</i>
GREEN HONEYCREEPER	<i>Chlorophanes spiza*</i>
GREEN AND GOLD TANAGER	<i>Tangara schrankii*</i>
GUIRA TANAGER	<i>Hemithrapis guira*</i>
HEPATIC TANAGER	<i>Piranga flava*</i>
HOODED MOUNTAIN-TANAGER	<i>Buthrauois montana*</i>
LAGRIMOSE MOUNTAIN -TANAGER	<i>Anisognathus lacrymosus*</i>
MAGPIE TANAGER	<i>Cissopis leverianus*</i>
MASCKED- CRIMSON TAMAGER	<i>Ramphocelus nigrogularis</i>
MASKED TANAGER	<i>Tangara nigrocincta</i>
MASKED FLOWERPIERCER	<i>Diglossa cyanea*</i>
MOUSTACHE FLOWERPIERCER	<i>Diglossa mystacalis*</i>

OPAL - CROWNED TANAGER	<i>Tangara callophrys</i>
OPAL-RUMPED TANAGER	<i>Tangara velia*</i>
ORANGE-BELLIED EUPHONIA	<i>Euphonia xanthogaster*</i>
ORANGE-HEADED TANAGER	<i>Thlypopsis sordida*</i>
OLEGINOUS HEMISPINGUS	<i>Hemispingus frontalis*</i>
ORANGE-EARED TANAGER	<i>Chlorochrysa calliparaea*</i>
PALM TANAGER	<i>Thraupis palmarum*</i>
PARADISE TANAGER	<i>Tangara chilensis*</i>
PLUSHCAP	<i>Catamblyrhynchus diadema*</i>
PURPLE HONEYCREEPER	<i>Cyanerpes caeruleus*</i>
PURPLE- THROATED EUPHONIA	<i>Euphonia chlorotica*</i>
RED-BILLED PIED-TANAGER	<i>Lamprospiza melanoleuca</i>
RED-CROWNED ANT-TANAGER	<i>Habia rubica*</i>
RED-LEGGED HONEYCREEPER	<i>Cyanerpes cyaneus*</i>
RUST AND YELLOW TANAGER	<i>Thlypopsis ruficeps</i>
RUFOUS BELLIED EUPHONIA	<i>Euphonia rufiventris*</i>
RUFOUS - CHESTED TANAGER	<i>Thlypopsis ornata*</i>
RUSTY FLOWERPIERCER	<i>Diglossa sittoides*</i>
SAFFRON-CROWNED TANGER	<i>Tangara xanthocephala*</i>
SACARLET TANAGER	<i>Piranga olivacea</i>
SILVER BACKED TANAGER	<i>Tangara viridicollis*</i>
SILVER-BEAK TANAGER	<i>Ramphocelus carbo*</i>
SCARLET-BELLIED MOUNTAIN-TANAGER	<i>anisognatus igniventris*</i>
SHORT-BILLED BUSH-TANGER	<i>Chlorospingus paravirostris*</i>
SLATY TANAGER	<i>Creurgops dentatus</i>
SPOTTED TANAGER	<i>Tangara punctata*</i>
SUMMER TANAGER	<i>Piranga rubra*</i>
SUPERCILIARIED HEMISPINGUS	<i>Hemispingus superciliaris*</i>
SWALLOW TANAGER	<i>Tersina viridis*</i>
THICK-BILLED EUPHONIA	<i>Euphonia laniirostris*</i>
THREE SPRIBE HEMISPINGUS	<i>hemispingus trifasciatus</i>
TIT-LIKE DACNIS	<i>Xenodacnis parina*</i>
TURQUOISE TANAGER	<i>Tangara mexicana*</i>
WHITE-BELLIED DACNIS	<i>Dacnis albiventris</i>
WHITE-BROWED CONEBILL	<i>Conirostrum ferrugineiventre</i>
WHITE-SHOULDER TANAGER	<i>Tachyphonus luctuosus*</i>
WHITE-VENTED EUPHONIA	<i>Euphonia minuta*</i>
WHITE -WING SHRIKE TANAGER	<i>Lanio versicolor*</i>
WHITE WINGED TANAGER	<i>Piranga leucoptera*</i>
YELLOW-BACKED TANAGER	<i>Hemithraupis flavicollis*</i>

YELLOW -BELLIED DACNIS	<i>Dacnis flaviventer</i>
YELLOW -BELLIED TANAGER	<i>Tangara xanthogastra*</i>
YELLOW -CRESTED TANAGER	<i>Tachyphonus rufiventer</i>
YELLOW-THROATED BUSH-TANGER	<i>Chlorospingus flavigularis*</i>
YELLOW-THROATED TANAGER	<i>Iridosornis analis</i>
<b>THRESKIORNITHIDEAE (ibis)</b>	
BLACK-FACE IBIS	<i>Theristicus melanopis*</i>
GREEN IBIS	<i>Mesembrinibis cayennensis</i>
PUNA IBIS	<i>Plegadis ridgwayi</i>
ROSEATED SPOONBILL	<i>Platalea ajaja</i>
<b>TINAMIDEAE (tinamous)</b>	
ANDEAN TINAMOU	<i>Nothoprocta pentlandii*</i>
BARTLETT'S TINAMOU	<i>Crypturelus bartletti</i>
BLACK TINAMOU	<i>Tinamus osgoodi*</i>
BLACK CAPPED TINAMOU	<i>Crypturelus atrocapillus*</i>
BRAZILIAN TINAMOU	<i>Crypturellus sibilosus</i>
BROWN TINAMOU	<i>Crypturellus obsoletus*</i>
CINEREOUS TINAMOU	<i>Crypturellus cinereus</i>
GRAY TINAMOU	<i>Tinamus tao*</i>
GREAT TINAMOU	<i>Tinamus major*</i>
HOODED TINAMOU	<i>Nothocercus nigrocapillus</i>
ORNATE TINAMOU	<i>Nothoprocta ornata*</i>
TITTLE TINAMOU	<i>Crypturellus soui*</i>
UNDULATED TINAMOU	<i>Crypturellus undulatus*</i>
VARIEGATED TINAMOU	<i>Crypturellus variegatus</i>
WHITE-THROATED TINAMOU	<i>Tinamus guttatus</i>
<b>TROCHILIDEAE (hilltars,sunangels, woodstars,brilliant, sapphires, lancebills, emeralds,mangos,humminbirds)</b>	
AMETHYST THROATED SUNANGEL	<i>Heliangelus amethysticollis*</i>
AMETHYST WOODSTAR	<i>Calliphlox amethystina</i>
ANDEAN HILLSTAR	<i>Oreotrochilus estella*</i>
BEARDED MONTAINEER	<i>Oreonympha nobilis*</i>
BLACK -BELLIED THORNTAIL	<i>Discosura langsdorffi*</i>
BLACK EARED FAIRY	<i>Heliathryx auritus*</i>
BLACK-TAILED TRAINBEARER	<i>Lesbia victoriae</i>
BLACK-THROATED BRILLIANT	<i>Heliodoxa schreibersii*</i>
BLACK-THROATED MANGO	<i>Anthracothorax nigricollis</i>
BLUE CHINNED SAPPHIRE	<i>Chlorestes nonata*</i>
BLUE-FRONTED LANCEBILL	<i>Doryfera johannae*</i>
BLUE-TAILED EMERALD	<i>Chlorostilbon mellisugus*</i>

BOOTED -RACKET TAIL	<i>Ocreatus underwoodii*</i>
BRONZY INCA	<i>Coeligena coeligana*</i>
BROWN VIOLATEAR	<i>Colibri dephinae</i>
BROWNE VIOLETEARD	<i>Colibri delphinae</i>
BUFF -TAILED SICKLEBILL	<i>Eutoxeres condamini*</i>
CHESNUT -BREASTED CORONET	<i>Boissonneaua mattheewsii</i>
COLLARED- INCA	<i>Coeligena torquata*</i>
FAWN -BREASTED BRILLIANT	<i>Heliodoxa rubinoides*</i>
FESTIVE COQUETTE	<i>Lophornis chalybeus*</i>
FORK-TAILED WOODNYMPH	<i>Thalurania furcata*</i>
GIANT HUMMINGBIRD	<i>Patagona gigas*</i>
GOLDEN -TAILED SAPPHIRE	<i>Chrysuronia oenone*</i>
GOULD'S JEWELFRONT	<i>Heliodoxa aurescens</i>
GRAY -BREASTED SABREWING	<i>Campylopterus largipenis*</i>
GREAT SAPPHIREWING	<i>Pterophanes cyanopterus*</i>
GREEN HERMIT	<i>Phaethornis guy*</i>
GREEN-VIOLETEAR	<i>Colibri thalassinus*</i>
GREEN-FRONTED LANCEBILL	<i>Doryfera ludovicae*</i>
GREEN-TAILED TRAINBEARER	<i>Lesbia nuna*</i>
GREENISH PUFFLEG	<i>Haplaphaedia aureliae*</i>
KOEPCKE'S HERMIT	<i>Phaethornis koepkeae</i>
LONG -BILLED STARTHROAT	<i>Heliomaster longirostris</i>
LONG-TAILED HERMIT	<i>Phaethornis superciliosus*</i>
LONG-TAILED SYLPH	<i>Agelaiocercus kingi*</i>
MANY-SPOTTED HUMMINGBIRD	<i>Taphrospilus hgypostictus</i>
NEEDLE -BILLED HERMIT	<i>Phaethornis philippii</i>
PALE -TAILED BARTHROATED	<i>Threnetes leucurus*</i>
PERUVIAN PIEDTAIL	<i>Phlogophilus harterti</i>
PURPLE- BACKED THORNBILL	<i>Ramphomicron michrorhynchum*</i>
REDDISH HERMIT	<i>Phaethornis ruber*</i>
RUFOUS - BREASTED HERMIT	<i>Glaucis hirsutus*</i>
RUFOUS CAPPED THORNBILL	<i>Chalcostigma ruficeps</i>
RUFOUS -CRESTED COQUETTE	<i>Lophornis delattrei*</i>
RUFOUS -WEBBED BRILLIANT	<i>Heliodoxa branickii</i>
SAPPHIRE -SPANGLED EMERAL	<i>Amazillia lactea*</i>
SAPPHIRE-VENTED PUFFLEG	<i>Eriocnemis luciani*</i>
SCALED METALTAIL	<i>Metallura aeneocaudata*</i>
SHINING SUNBEAN	<i>Aglaeactis cupripennis*</i>
SPARKLING VIOLATEAR	<i>Colibri coruscans*</i>
SPECTACKLED HUMMINGBIRD	<i>Adelomyia melanogenys*</i>

SWORD BILLED HUMMINGBIRD	<i>Ensifera ensifera</i>
TYRIAN METALTAIL	<i>metallura tyianthina</i>
VIOLED FRONTED BRILLIANT	<i>Heliodoxa leadbeateri*</i>
VIOLET -HEADED HUMMINGBIRD	<i>Klais guimeti*</i>
VIOLET-THROATED STARFRONTLET	<i>Coeligena violifer*</i>
WEDGE BILLED HUMMINGBIRD	<i>Schistes geoffroyi*</i>
WHITE BEARDED HERMIT	<i>Phaethornis hispidus</i>
WHITE BELLIED HUMMINGBIRD	<i>Amazillia chionogater*</i>
WHITE BELLIED WOODSTAR	<i>Chaetocercus mulsant</i>
WHITE BROWED HERMIT	<i>Phathornis stuarti*</i>
WHITE CHINNED SAPPHIRE	<i>Hylocharis cyaenus*</i>
WHITE NECKED JACOBIN	<i>Florisuga mellivora*</i>
WIRE CRESTED THORNTAIL	<i>Discosura popelairii</i>
<b>TROGLODYTIDEAE (wrens,woodwrens)</b>	
BUFF-BREASATED WREN	<i>Thryothous leucotis*</i>
CHESNUT-BREASTED WREN	<i>Cyphorhinus thoracicus*</i>
FULVOUS WREN	<i>Cinnycerthia fulva*</i>
GRAY-BREASTED WOODWREN	<i>Henicorhina leucosticta*</i>
GRAY -MANTLED WREN	<i>Odontorchilus branickii*</i>
HOUSE WREN	<i>Troglodytes eudon*</i>
MOUNTAIN WREN	<i>Troglodytes solstitialis*</i>
MOUSTACHE WRREN	<i>Thryothorus eunophrys*</i>
MUSICIAN WREN	<i>Cyphurhinus arada*</i>
SCALY BREASTED WREN	<i>Microcerculus marginatus*</i>
SEDGE WREN	<i>Cistothoruss platensis*</i>
THRUSH -LIKE WREN	<i>Campylorhynchus turdinus*</i>
<b>TROGONIDEAE (trogons)</b>	
VIOLECEOUS TROGON	<i>Trogon violaceus*</i>
BLACK-TAILED TROGON	<i>Trogon melanurus*</i>
BLUE-CROWNED TROGON	<i>Trogon curucui*</i>
COLLARED TROGON	<i>Trogon collaris*</i>
CRESTED QUETZAL	<i>Pharomachrus antisianus</i>
COLDEN -HEADED QUETZAL	<i>Pharomachrus auriceps*</i>
GREEN-BACKED TROGON	<i>trogon viridis*</i>
MASKED TROGON	<i>Trogon personatus*</i>
PAVININE QUETZAL	<i>Pharomachrus pavoninus</i>
<b>TURDIDEAE (solitaires,thrushes,nightingales)</b>	
ANDEAN SOLITAIRE	<i>Myadestes ralloides*</i>
BLACK-BILLED THRUSH	<i>Turdus ignobilis*</i>
CHIGUANCO THRUSH	<i>Turdus chiguanco</i>

CREAMY-BELLIED THRUSH	<i>Turdus amaurochalinus</i>
GLOSSY-BACK THRUSH	<i>turdus serranus*</i>
GREAT THRUSH	<i>Chiguanco fuscater*</i>
HAUXWELL'S THRUSH	<i>turdus hauxwelli</i>
LAWRENCE'S THRUSH	<i>Turdus lawrencii</i>
PALE EYED THRUSH	<i>Turdus leucops</i>
SLATY-BACKED NIGHTINGALE-TRUSH	<i>Catharus fuscater*</i>
SLATY THRUSH	<i>Turdus nigriceps*</i>
SPOTTED NIGHTINGALE	<i>Catharus dryas*</i>
SWAINSON'S THRUSH	<i>Catharus ustulatus*</i>
VEERY	<i>Catharus fuscescens*</i>
WHITE-EARED SOLITAIRE	<i>entomodestes leucotis</i>
WHITE NECKED THRUSH	<i>Turdus albicollis*</i>
<b>TYRANIDEAE (flycatchers, tyrants, tyrannulets, tody-tyrants, tody-flycatchers, flatbills, elaenias,)</b>	
ALDER FLYCATCHER	<i>Empidonax alnorum</i>
AMAZONIAN SCRUB-FLYCATCHER	<i>Sublegatus obscurior</i>
ANDEAN NEGRITO	<i>Lessonia oreas</i>
ANDEAN TYRANT	<i>Knipolegus signatus*</i>
ASHY-HEADED TYRANNULET	<i>Phyllomyias cineireiceps</i>
BLACK PHOEBE	<i>Sayornis nigricans*</i>
BLACK BACKED TODY-FLYCATCHER	<i>Poecilotriccus pulchellus</i>
BLACK-BACKED WATER-TYRANT	<i>Fluvicola nengeta*</i>
BLACK-BILLED SHRIKE-TYRANT	<i>Agriornis montatus*</i>
BLACK-THROATED TODY-TYRANT	<i>Hemitriccus granadensis*</i>
BOAT-BILLED FLYCATCHER	<i>Megarynchus pitangua*</i>
BOLIVIAN TYRANNULET	<i>Zimmerius bolivianus*</i>
BRAN-COLORED FLYCATCHER	<i>Myiophobus fasciatus*</i>
BRITH-RUMPED ATTLA	<i>attila spadiceus*</i>
BROWN-BACKED CHAT-TYRANT	<i>Ochthoeca fumicolor</i>
BROWN-CRESTED FLYCATCHER	<i>Myiarchus tyrannulus*</i>
BROWNISH TWISTWING	<i>Cnipodectes subbrunneus</i>
BUFF-THROATED TODY-TYRANT	<i>Hemitriccus rufigularis</i>
CINNAMON -FACE TYRANNULET	<i>Phylloscartes parkeri</i>
CINEREOUS GROUND-TYRANT	<i>Muscisaxicola cinereus*</i>
CINNAMON FLYCATCHER	<i>Pyrrhomyias cinnamomeus*</i>
CINNAMON TYRANT	<i>Neopipo Cinnamomea*</i>
CLIFF FLYCATCHER	<i>Hirundinea ferruginea*</i>
CROWNED CHAT-TYRANT	<i>Ochthoeca frontalis*</i>
CROWNED SLATY FLYCATCHER	<i>Empidonomus aurantioatrocristatus</i>
DRAB WATER-TYRANT	<i>Ochthornis littoralis</i>





## REAL EXPERIENCE OF BIRDING

D'RBINGNY'S CHAT-TYRANT	<i>Ochthoeca oenanthoides</i>
DULL-CAPPED ATTILA	<i>Attila bolivianus*</i>
DUSKY-CAPPED FLYCATCHER	<i>Myiarchus tuberculifer*</i>
DUSKY-CHESTED FLYCATCHER	<i>Myiozetetes luteiventris*</i>
DUSKY-TAILED FLATBILL	<i>Ramphotricon fuscicauda</i>
EASTERN KINGBIRD	<i>Tyrannus tyrannus</i>
EASTERN WOOD-PEWEE	<i>Contopus virens</i>
EULER'S FLYCATCHER	<i>Lathrotriccus eulerei*</i>
FLAMMULATED PYGMY-TYRANT	<i>Hemitriccus flammulatus</i>
FOREST ELAENIA	<i>Myiopagis gaimardii*</i>
FORK-TAILED FLYCATCHER	<i>Tyrannus savana*</i>
FULVOUS-BREASTED FLATBILL	<i>Rhynchocylus fulvipectus</i>
FULCOUS FLYCATCHER	<i>Cnemotricus fuscatus*</i>
GOLDEN BROWED CHAT-TYRANT	<i>Ochthoeca pulchella*</i>
GOLDEN-CROWNED FLYCATCHER	<i>Myiodynastes chrysocephalus*</i>
GOLDEN-CROWNED SPADEBILL	<i>Platyrinchus coronatus*</i>
GRAY ELAENIA	<i>Myiopagis caniceps*</i>
GRAY CAPPED FLYCATCHER	<i>Myiozetetes granadensis*</i>
GRAY CROWNED FLYCATCHER	<i>tolmomyias poliocephalus*</i>
GREENISH ELAENIA	<i>Myiopagis viridicata*</i>
GREAT KISKADEE	<i>Pitangus sulphuratus*</i>
HANDSOME FLYCATCHER	<i>Myiophobus pulcher*</i>
HAZEL-FRONTED PYGMY-TYRANT	<i>Pseudotricus pelzelni*</i>
HIGHLAND ELAENIA	<i>Elaenia obscura*</i>
INCA FLYCATCHER	<i>Leptopogon taczanowskii</i>
JOHANNSES'S TODY- TYRANT	<i>Hemitriccus iohannis</i>
LARGE-ELAENIA	<i>Elaenia spectabilis</i>
LARGE-HEADED FLATBILL	<i>Ramphotricon megacephalum*</i>
LEMON -BROWED FLYCATCHER	<i>Conopias trivirgatus*</i>
LESSER ELAENIA	<i>Elaenia chiriquensis*</i>
LESSER KISKADEE	<i>Pitangus lictor*</i>
LITTLE-GROUND-TYRANT	<i>Muscisaxicola fluviatalis</i>
LONG-CRESTED PYGMY-TYRANT	<i>Lophotricus eulophotes</i>
LONG-TAILED TYRANT	<i>Colonia colonus*</i>
MANY-COLORED RUSH-TYRANT	<i>Tachuris rubrigastra*</i>
MARBLE-FACED BRISTLE-TYRANT	<i>Phylloscartes ophthalmicus*</i>
Mc CONNELL'S FLYCATCHER	<i>Mionectes macconnelli*</i>
MOTTLE -BACKD ELAENIA	<i>Elaenia gigas</i>
MOUSE - COLORED TYRANNULET	<i>Phaeomyias murina*</i>
MOTTLE-CHEEKED TYRANNULET	<i>Phyllocartes ventralis*</i>



## REAL EXPERIENCE OF BIRDING

OCHRACEOUS-BREASTED FLYCATCHER	<i>Myiophobus ochraceiventris</i>
OCHRE-BELLIED FLYCATCHER	<i>Mionectes oleagineus</i> *
OCHRE-FACED TODY-FLYCATCHER	<i>Poecilotriccus plumbeiceps</i> *
OCHRE NAPPED GROUND-TYRANT	<i>Muscisaxicola flavinucha</i> *
OLIVACEOUS FLATBILL	<i>Rhynchocyclus olivaceus</i> *
OLIVE FLYCATCHER	<i>Mitrephanes olivaceus</i>
OLIVE-SIDE FLYCATCHER	<i>Contopus cooperi</i>
OLIVE-STRIPED FLYCATCHER	<i>Mionectes olivaceus</i> *
ORNATE FLYCATCHER	<i>Myiotriccus ornatus</i> *
PALE EDGE FLYCATCHER	<i>Myiarchus cephalotes</i> *
PIRATIC FLYCATCHER	<i>Legatus leucophaeus</i>
PLAIN- TYRANNULET	<i>Inezia inornata</i>
PLAIN- CRESTED ELAENIA	<i>Elaenis cristata</i> *
PLUMBEOUS-CROWNED TYRANNULET	<i>Phyllomyias plumbeiceps</i>
RED-BILLED TYRANNULET	<i>Zimmerius cinereicapilla</i>
RED-RUMPED BUSH-TYRANT	<i>Cnemarchus erythropygius</i> *
RINGED ANTPIT	<i>Corythopsis torquatus</i> *
RIVER TYRANNULET	<i>Serpophaga hypoleuca</i> *
ROUGH-LEGGED TYRANNULET	<i>Phyllomyias burmeisteri</i> *
ROYAL FLYCATCHER	<i>Onychorhynchus coronatus</i> *
RUDDY-TAILED FLYCATCHER	<i>Terentotriccus erythrurus</i> *
RUFOUS CASIORNIS	<i>Myiarchus rufus</i>
RUFOUS-BREASTED CHAT-TYRANT	<i>Ochthoeca rufipectoralis</i>
RUFOUS-HEADED PMY-TYRANT	<i>Pseudotriccus rufficeps</i> *
RUFOUS BELLIED BUSH-TYRANT	<i>Myiotheretes fuscus</i>
RUFOUS-NAPED GROUND-TYRANT	<i>Muscisaxicola rufivertex</i> *
RUFOUS-TAILED FLATBILL	<i>Ramphotrigon ruficauda</i>
RUFOUS-WEBBED BUSH-TYRANT	<i>Polioptila rufipennis</i> *
RUSTY-FRONTED TODY-FLYCATCHER	<i>Poecilotriccus capitallis</i>
RUSTY-MARGINED FLYCATCHER	<i>Myiozetetes cayenensis</i> *
SCALE-CRESTED PYGMY-TYRANT	<i>Lophotriccus galeatus</i>
SCLATER'S TYRANNULET	<i>Phyllomyias sclateri</i> *
SEPIA-CAPPED FLYCATCHER	<i>Leptopogon amaurocephalus</i> *
SHORT-TAILED PYGMY TYRANT	<i>Myiornis ecaudatus</i> *
SIERRAN ELAENIA	<i>Elaenia pallatangae</i> *
SIRYSTE	<i>Sirystes sibilator</i> *
SLATY ELAENIA	<i>Elaenia strepera</i>
SLATY-BACKED CHAT-TYRANT	<i>Ochthoeca cinnamomeiventris</i> *
SLATY-CAPPED FLYCATCHER	<i>Leptopogon superciliaris</i>
SLENDER-FOOTED TYRANNULET	<i>Zimmerius gracilipes</i> *



## REAL EXPERIENCE OF BIRDING

SMALL-BILLED ELAENIA	<i>Ealania parvirostris</i>
SMOKE-COLORED PEWEE	<i>Contopus fumigatus*</i>
SOCIAL FLYCATCHER	<i>Myiozetetes similis*</i>
SOUTHERN- BEARDLESS TYRANNULET	<i>Camptostoma obsoletum*</i>
SOUTHERN-SCRUB FLYCATCHER	<i>Sublegatus modestus*</i>
SPECTACLED BRISTLE-TYRANT	<i>Phylloscartes orbitalis</i>
SHORT-CRSTED FLYCATCHER	<i>Myarchus ferox*</i>
SPOT-BILLED GROUND TYRANT	<i>Muscisaxicola maculirostris*</i>
SPOTED TODY-FLYCATCHER	<i>Todirostrum maculatum*</i>
STREAK-NECKED FLYCATCHER	<i>Mionectes olivaceus*</i>
STREAK-THROATED BUSH-TYRANT	<i>Myiotheretes striacollis*</i>
STREAKED FLYCATCHER	<i>Myiodynastes maculatus</i>
SUBTROPICAL DORADITO	<i>Pseudocolopteryx acutipennis</i>
SULPHURY FLYCATCHER	<i>Tyrannopsis sulphurea</i>
SULPHUR-BELLIED FLYCATCHER	<i>Myiodynastes luteiventris</i>
SULPHUR-RUMPED FLYCATCHER	<i>Myiobius barbatus *</i>
SWAINSON'S FLYCATCHER	<i>Myiarchus swainsoni*</i>
TACZONOSKI'S GROUND-TYRANT	<i>Muscisaxicola griseus</i>
TAWNY-BREASTED FLYACATCHER	<i>Myiobius villosus*</i>
TAWNY-RUMPED TYRANNULET	<i>Phyllomyias uropygialis</i>
TORRENT TYRANNULET	<i>Serpophaga cinerea*</i>
TROPICAL KINGBIRD	<i>Tyrannus melancholicus*</i>
TROPICAL PEWEE	<i>Contopus cinereus*</i>
TUFTED-TIT-TYRANT	<i>Anairetes nigrocristatus</i>
UNADORNED FLYCATCHER	<i>Myophobus inornatus</i>
VARIEGATED BRISTEL-TYRANT	<i>Phylloscartes ophthalmicus*</i>
VARIEGATED FLYCATCHER	<i>Empidonomus varius*</i>
VERMILION FLYCATCHER	<i>Pyrocephalus rubinus*</i>
WESTERN WOOD-PEWEE	<i>Contopus virens</i>
WHITE-BANDED TYRANNULET	<i>Mecocerculus leucophrys*</i>
WHITE-BELLIED TODY-TYRANT	<i>Hemitriccus griseipectus*</i>
WHITE-BROWED CHAT-TYRANT	<i>Ochthoeca leucophrys*</i>
WHITE-CHEEKED TODY-FLYCATCHER	<i>Poecilotriccus albifacies</i>
WHITE-CRESTED ELAENIA	<i>Elaenia albiceps*</i>
WHITE-CRESTED SPADEBILL	<i>Platyrinchus platyrhynchos</i>
WHITE-LORED TYRANNULET	<i>Ornithion inerme</i>
WHITE-TAILED TYRANNULET	<i>Mecocerculus poecilocercus</i>
WHITE-THROATED KINGBIRD	<i>Tyrannus albogularis</i>
WHITE-THROATED SPADEBILL	<i>Platyrinchus mystaceus*</i>
WHITE-THROATED TYRANNULET	<i>Mecocerculus leucophrys*</i>



**REAL EXPERIENCE OF BIRDING**

WHITE-WINGED BLACK-TYRANT	<i>Knipolegus aterrimus*</i>
YELLOW TYRANNULET	<i>Capsiempis flaveola*</i>
YELLOW-BILLED TIT-TYRANT	<i>Anairetes flavirostris*</i>
YELLOW-BELLIED ELAENIA	<i>Elaenia flavogaster*</i>
YELLOW-BREASTED FLYCATCHER	<i>Tolmomyias flaviventris*</i>
YELLOW-BROWED TYRANT	<i>Satrapa icterophrys</i>
YELLOW- BROWED TODY-FLYCATCHER	<i>Todirostrum chrysocrotaphum*</i>
YELLOW-CROWNED TYRANNULET	<i>Tyrannulus elatus</i>
YELLOW-MARGINED FLYCATCHER	<i>Tolmomyias assimilis*</i>
<b>TYTONIDEAE (owl)</b>	
BARN OWL	<i>tyto alba*</i>
<b>VYREONIDEAE (vireos,greenlets,peppershrikes)</b>	
BROWN-CAPPED VIREO	<i>Vireo leucophrys*</i>
DUSKY-CAPPED VIREO	<i>Hylophilus hypoxanthus*</i>
LEMON-CHESTED GREENLET	<i>Hylophilus thoracicus*</i>
RED-EYED VIREO	<i>Vireo olivaceus*</i>
RUFOUS -BROWED PEPPERSHRIKE	<i>Cyclarhis gujanensis*</i>
SLATY CAPPED SHRIKE-VIREO	<i>Vreolanius leucotis*</i>
TAWN-CROWNED GREENLET	<i>Hylophilus ochraceiceps</i>
YELLOW- GREEN VIREO	<i>Vreo flavoviridis*</i>